

GREEN LAKE COUNTY

571 County Road A, Green Lake, WI 54941

Original Post Date: 08/01/2019

Amended* Post Date:

The following documents are included in the packet for the Property and Insurance Committee on August 6, 2019:

- 1) Amended Agenda
- 2) Minutes from 07/02/2019
- 3) Maintenance Reports



GREEN LAKE COUNTY OFFICE OF THE COUNTY CLERK

Office: 920-294-4005

FAX: 920-294-4009

Elizabeth Otto County Clerk

Property & Insurance Committee

Date: August 6, 2019 Time: 5:00 PM

Meeting Notice

Location: Government Center, County Board Room, 571 County Road A, Green Lake WI Amended AGENDA* Committee 1. Call to Order Members 2. Certification of Open Meeting Law Vicki Bernhagen, Chair 3. Pledge of Allegiance Patti Garro, Vice-Chair 4. Minutes: 07/02/19 David Abendroth 5. *Correspondence Richard Trochinski 6. Public Comments (3 min limit) Keith Hess 7. Use of County Property • CRAW Regatta Elizabeth Otto, Secretary • *Green Lake High School Bonfire 8. Government Center Landscaping Options 9. 2020 Budget Discussion 10. Health Insurance Update 11. Security Systems Update 12. Maintenance Report • Buildings and Grounds Report Monthly Activities 13. Committee Discussion • Future Meeting Dates: Regular Meeting 09/03/2019 -5:00 PM • Future Agenda items for action & discussion 14. Adjourn *Stricken from the agenda

Kindly arrange to be present, if unable to do so, please notify our office. Sincerely, Elizabeth Otto, County Clerk

Please note: Meeting area is accessible to the physically disabled. Anyone planning to attend who needs visual or audio assistance, should contact the County Clerk's Office, 294-4005, not later than 3 days before date of the meeting.

PROPERTY AND INSURANCE COMMITTEE July 2, 2019

The meeting of the Property and Insurance Committee was called to order by Chair Vicki Bernhagen on Tuesday, July 2, 2019 at 5:00 PM in the Green Lake County Board Room, Green Lake County Government Center, 571 County Road A, Green Lake, WI. The requirements of the open meeting law were certified as being met. The pledge of allegiance was recited.

Present: Vicki Bernhagen Keith Hess

Richard Trochinski Patti Garro

David Abendroth

Other County employees present:

Liz Otto, County Clerk
Sheriff Mark Podoll (5:02)
Scott Weir, Maintenance Supervisor
Harley Reabe, Cty Board Chair

MINUTES

Motion/second (Hess/Garro) to approve the minutes of June 4, 2019 with no additions or corrections. All ayes. Motion carried.

CORRESPONDENCE

Chair Bernhagen read an email she received from Judge Mark Slate requesting clarification of the service animal policy. Sheriff Podoll stated that Chief Deputy Putzke and Corporation Counsel Dawn Klockow are currently working on that. This will be placed on the August agenda.

PUBLIC COMMENTS - none

USE OF COUNTY PROPERTY - none

GOVERNMENT CENTER LANDSCAPING

Chair Bernhagen stated that there are issues with the current landscaping including the need for trimming, removal, and weeding. Discussion held on the current budget for grounds maintenance. Maintenance Supervisor Scott Weir gave an update on his staffing and the need for additional help to provide adequate grounds care. The committee requested that Weir present some quotes in August for contracted services and/or part time help.

2020 BUDGET DISCUSSION

Weir stated that his budget should stay close to the same as this year.

SECURITY SYSTEMS UPDATE

Chair Reabe stated there are no updates at this time.

MAINTENANCE REPORT

- Building and Grounds Report Parks & Rec report was submitted to the committee for informational purposes.
- Monthly Activities The report was reviewed.

COMMITTEE DISCUSSION

Future Meeting Date: August 6, 2019 at 5:00 PM.

Future Agenda items for action & discussion: landscaping at county buildings, service animal policy

ADJOURNMENT

Chair Bernhagen adjourned the meeting at 5:40 PM.

Submitted by,

Liz Otto

County Clerk

Informational Purposes only for Property & Insurance Committee monthly meeting.

August 05, 2019

Parks & Recreation Committee

Parks & Recreation Department

Quarterly Report

Zobel Memorial Park

New ordinance signage along with new treated post installed upper and lower park area Safety inspection performed on ADA playground unit Bike rack installed for season Cleaned up excessive trash 07/08/19 Cleaned up branches trees etc. after storm on 06/27/19 Schedule Maintenance performed General Maintenance performed

Sunset Park

New pro rib steel roofing installed (1332 sq. ft.) on shelter 06/19/19

New ordinance signage installed along with new treated posts

Removed steel patio furniture that was placed by launch dumpster

Automated launch bank went down on 07/21/19/got back in operation 07/23/19 @ 11:19 lost communication

Installed new ridge and rake on shelter 07/16/19
Hauled excess trash away around dumpster with truck/trailer (3 times)
Household trash piled up around dumpster – 07/08/19

Bike rack installed for season

Rebooted enforcement app on automated launch terminal 07/01/19

Removed (1) plastic patio chair dumpster area 07/01/19

Cleaned up branched trees etc. after storm on 06/27/19

Dumpster installed at launch site for season

Pit restrooms pumped

Cement pad installed along with memorial bench

Removed old wooden fencing restroom area

Scheduled Maintenance performed

General Maintenance performed

Twin Lake Park

New ordinance signage installed along treated posts Cleaned branches and trees etc. after storm on 06/27/19 Schedule Maintenance performed General Maintenance performed

Spring Lake Park

New ordinance signage installed along with new treated posts Cleaned up branches trees etc. after storm on 06/27/19 Gravel replaced along ramp where washed out Scheduled Maintenance performed General Maintenance performed

Dodge Memorial Park

Replaced vandalized water supply pipe to toilet men's restroom 07/26/19

Cleaned up camp fire debris by ADA fishing pier 06/24/19

New ordinance signage installed along with new treated posts

Remove launch #1 for damage repair – 07/23/19

Hauled excess trash away around dumpsters with trailer/truck to put in shop dumpsters (5 times)

Cleaned up remains of camp fire ADA fishing pier area

Safety inspection performed on all playground equipment

Pit toilet holding tank has failed inspection and cannot be repaired. The toilet has been locked and taken out of operation. A temporary porta toilet has been placed until a decision can be made on replacement -07/31/19

Repaired hand hold on launch 2 left side 07/08/19

Cleaned up household trash around dumpsters 07/08/19

Reattached out of service cover on manual launch bank on 06/29/19 and on 06/30/19 and

removed/emptied garbage and glass bottles after flipped upside down (have pics)

Cleaned up branches trees etc. from storm on 06/27/19

Cleaned up camp fire debris by ADA fishing pier 07/26/19

Bike rack installed for season

Dumpsters installed at launch site for season

Pavilion opened 05/22/19 for season

Pit restroom at launch site pumped

Removed plastic patio furniture (2) chairs from west dumpster area 07/01/19

Dumpster installed at pavilion for season

Mandated water samples taken and forward to WDNR

Volleyball nets installed for season

Scheduled Maintenance performed

General Maintenance performed

Lake Maria Park

New ordinance signage installed along with new treated posts Scheduled Maintenance performed General Maintenance performed

Kingston Park

New ordinance signage installed along with new treated posts Safety inspection performed on playground equipment Dumpster installed for season 6 yds. of beach sand installed swim area Cleaned up branches trees etc. after storm on 06/27/19 Pit restroom pumped Volleyball net installed for season Scheduled Maintenance performed General Maintenance performed

Mascoutin Valley State Trail

Trimmed branches and cleaned up trail after strong winds from 07/20/19 Shoulders mowed 06/3/19 Shoulders mowed 07/25/19 Safety inspection performed on boardwalks Bike rack installed for season Shoulders mowed on 06/26/19

Weed control applied on 06/26/19

North end section of large board temp repaired until water dries up for permanent repair 06/27/19

Cleaned up branches trees etc. after storm on 06/27/19 Gravel replaced on small boardwalk west end (washed out)

Entire trail graded

Schedule Maintenance performed

General Maintenance performed

Mowed shoulders on City of Green Lake Multi Use Path Hwy. 23-05/20/19 Mowed shoulders on City of Green Lake Multi Use Path Hwy. 23-06/18/19 Mowed shoulders on City of Green Lake Multi Use Path Hwy. 23-07/29/19

Took delivery of new leased Parks & Recreation truck 07/29/19. This is the first truck Parks & Recreation has had for its department. Thank you Administrator Cathy Schmit

Submitted by:

Scott A. Weir

Maintenance Director

Parks & Recreation Director

August 06, 2019
Property & Insurance Committee
Monthly Report
Green Lake County Maintenance Department

571 County Road A

Replaced 1 lamp in light fixture in hall between doors #5 & #6 – Corrections

Rehung visitation sign booth #6 that was removed over the weekend (07/01/19) – Corrections Repaired damaged overhead door closing/opening steel arm sally port entrance/door was shut on object – Corrections

Installed new addressable locking fire pull station jail kitchen rec. - Corrections

Report of #2 Detention Sliding door not closing completely at times and dose not lock in place-checked operation of door with master control bypass mod-found door has been operated in manual more frequently from master control and short cycled. Corrections

Cleaned laundry room exterior dryer venting – Corrections

Replaced 3 lamps in fixture above bench pre-book – Corrections

Unplugged back area hand wash sink/kitchen - Corrections

Replaced 1 ballast in fixture unit A sw corner above bunk A-9 – Corrections

Cleaned up lint/dust in laundry room that staff could not complete with cleaning tools they had - Corrections

Replaced lamp in fixture above dish machine/kitchen - Corrections

Replaced ballast in light fixture above prep area sink – Corrections

Fire inspection and maintenance perform jail kitchen Ansul System 07/30/19 - Corrections

Installed new cold water cartridge men's restroom sink - SO

installed new projection screen per request EOC - SO

Repaired damaged swing door courtroom A – Courts

Replaced expired BZ-50 Power Pak for lighting - LUPZ

Disposed of broken office chair per request - LCD

Installed 3 standing Versa desks per request - HHS

Adjusted sprung door 1st. floor staff interior entrance - HHS

Unplug sink drain women's staff restroom second floor/found clogged with food debris - HHS

Request to check thermostat in room #2103 states it will no adjust to lower temp/checked found occupant was not in cooling mode - HHS

Install new lift cylinder in office chair – TRES

Switched locking mechanism on vault doors per request - 07/09/19 6:20a.m. - ROD

Set up Training Room per request for 07/11/19 - UWEX

Set up Training Room per request for 07/08/18 – UWEX

Replaced expired card and transformer in main Simplex Fire Alarm panel (\$7,200.00+) – Simplex/GLCM

Loaded and delivered fair supplies to highway department grounds per request 07/25/19

2 Parking lot lighting fixtures converted to LED

3 wall mount security lighting fixtures converted to LED

Replaced back up power supply battery in all fire alarm panels/repeaters (6) General Maintenance performed Scheduled Maintenance performed

Lake Steel Street

Repaired metal trim around exit door – Food Pantry General Maintenance performed Scheduled Maintenance performed

Towers

General Maintenance performed Scheduled Maintenance performed

FRI

Installed signage to front entry of building per request -07/30/19 Maintenance Request performed

Submitted by:

Scott A. Weir

Maintenance Director

Parks & Recreation Director

Green Lake County